Phone: (704) 843-1680 Fax: (704) 843-1660 www.marvinnc.org

VILLAGE OF MARVIN TREE REMOVAL PERMIT Page 1 of 3

10004 New Town Rd. Marvin, NC 28173 Revised 01/09

PERMIT NUMBER:	APPLICATION DATE:
<u></u>	

NOTE: A TREE REMOVAL PERMIT IS REQUIRED BEFORE REMOVING:

- 1. Canopy Trees twelve (12) inches or larger in Diameter-at-Breast-Height (dbh) and understory trees four (4) inches or larger dbh excluding individual owned residentially zoned lots of record that existed on or before October 19, 2004 that are less than five (5) acres in area.
- 2. Trees growing on a slope greater than twenty-five (25) percent.
- 3. Any threatened or endangered species of tree as defined by the North Carolina State Department of Environmental Conservation or any Heritage or Specimen trees, as defined by the Village, regardless of size.

APPLICANT INFORMATION:

IN I LICINII IN OK	WIII 1101 (.			
APPLICANT NAME:				
APPLICANT ADDRES	SS:			
APPLICANT ADDRESS:(Include city, state and zip code)				
PHONE:	FAX:			
MOBILE:	EMAIL:			
OWNER INFORMAT	ΓΙΟN:			
PROPERTY OWNER (if different than applicant):				
OWNER ADDRESS:				
	(Include city, state and zip code)			
PHONE:				
LOT INFORMATION	N:			
ADDRESS OF PROPE	RTY:			
SUBDIVISION:		LOT #:		
TAX MAP AND PARG	CEL NUMBER:			
TOTAL ACREAGE O	F PROPERTY:			
TOTAL ACREAGE IN	IVOLVED IN CUTTING/CLEARING:			
TOTAL NUMBER OF	TREES TO BE REMOVED:			

LIST EACH PURPOSE FOR TREE REMOVAL ON PROPERTY:

Property Owner's Signature (If different from applicant)

1.	
2.	
3.	
4.	
5.	
Is there a creek within 200 feet of your lot?	If so, what is the approximate distance?
	ng Administrator shall be based on the following criteria:
 The physical condition of the tree. The proximity of trees to existing or propora. Within fifteen (15) feet of a found 	
b. Within three (3) feet of a sidewalk	c or driveway.
c. Within ten (10) feet of a cesspool,d. Within five (5) feet of a roadway.	dry well, septic tank or other subsurface improvement.
	al systems, including the erosion potential of the property.
•	mined by accepted tree management practices as recommended
5. The impact of the removal on the value of	property and aesthetics of the adjoining properties. ess of existing or proposed structures on the property. lic health, welfare and safety.
Unless otherwise waived by the Zoning Administrapproval. The applicant, or his authorized agent, s	rator, a site walk of the property shall be required prior to permitshall accompany Village officials on the site walk.
permit may substitute a general drawing showing t	five (5) trees that otherwise would require a tree removal the approximate location and the size (dbh) and species of the e the required site walk prior to such trees being removed.
A fee in accordance with the current fee schedule a application. Please note: all fees for regulation appnon-refundable, and checks that are returned will be with the current fee schedule adopted by the Village.	be subject to a returned check fee in accordance
CERTIFICATION:	
I have read the above requirements and agree to co	omply. I hereby certify that the information provided herein, to n of an approved permit may be grounds for its revocation.
Applicant's Signature	 Date

Date

This page to be completed by Marvin Zoning Official.

Trees approved for cutting/clearing are shown on the attached survey/drawing.		
Description of trees/areas hereby approved for cle	earing:	
Additional conditions placed on this permit are as	follows:	
To the best of my knowledge, this application is c	omplete. Based on such information, I hereby	
this permit.		
Approve Disapprove		
(If applicable) Zoning Permit #		
Zoning Administrator	Date	